

**WALL-MOUNTED LED LIGHT FOR CONCRETE POOL
STAINLESS STEEL SERIES:**



**PRODUCT
DETAILS**

For swimming pool



Body Material
Stainless steel 304



Wire 1.5m cable
VDE Certification



Working Temperature
-20°C ~ 45°C



Lifespan
≥50,000 Hours



Lens Material
PC



Trim Ring Color Options
White



Light Source
2835

KODE	NAMA	POWER	COLOR	BEAM ANGLE
DUL00034	SS30CM12WPW	12 WATT	Pure white – 6000K	120°
DUL00035	SS30CM18WPW	18 WATT	Pure white – 6000K	120°
DUL00036	SS23CM7WPW	7 WATT	Pure white – 6000K	120°
DUL00037	SS23CM12WPW	12 WATT	Pure white – 6000K	120°
DUL00042	SS23CM7WWW	7 WATT	Warm white – 3000K	120°
DUL00043	SS23CM12WWW	12 WATT	Warm white – 3000K	120°

ABS SERIES:



PRODUCT DETAILS

For swimming pool



Body Material
ABS+UV



Wire 1.5m cable
VDE Certification



Lifespan
≥50,000 Hours



Lens Material
PC




Light Source
2835



Working Temperature
-20°C ~ 45°C

KODE	NAMA	POWER	COLOR	BEAM ANGLE
DUL00038	ABS295CM12WPW	12 WATT	Pure white – 6000K	120°
DUL00039	ABS295CM18WPW	18 WATT	Pure white – 6000K	120°
DUL00040	ABS295CM18WRGB	18 WATT	RGB (Color with remote controller)	120°
DUL00041	ABS295CM12WWW	12 WATT	Warm white – 3000K	120°

NICHE SERIES:



SS11CMNICHE

PRODUCT DETAILS

*For common swimming pools, high temperature pools and stairs



Body Material
Stainless steel 304



Wire
VDE Certification



Working Temperature
-20°C ~ 48°C




Lifespan
≥ 50,000 Hours



Lens Material
8 mm thickness
tempered glass



Light Source
2835



ABS95MMNICHE

PRODUCT DETAILS

*For common swimming pool



Body Material
ABS+UV



Wire
VDE Certification



Working Temperature
-20°C ~ 38°C



Lifespan
≥ 50,000 Hours



Lens Material
PC



Light Source
5050

KODE	NAMA	POWER	COLOR	BEAM ANGLE
DUL00044	SS11CMNICHE	5 WATT	Warm white – 3000K	120°
DUL00045	ABS95MMNICHE	5 WATT	Warm white – 3000K	120°



← Warm White Daylight White Cool White →
2700K-3300K 4200-4500K 5500-7000K

